



Silvertex[®]

CONTRACT | OUTDOOR | MARINE | AUTOMOTIVE




SPRADLING[®]
For the long run


















Colour Palette

66 inspiring colours

PERMABLOK³
ADVANCED PROTECTION



122-5444
JUNGLE

 NEW	 NEW	 NEW				
122-6434 MIZZLE	122-5468 HUNTER	122-5009 SAGE	122-2089 WHITE	122-4004 ICE	122-2090 ICE CREAM	122-1077 CREAM
 CS		 CS BI	 CS	 CS BI		 CS BI
122-1051 SISAL	122-1078 CHAMPAGNE	122-0001 MACADAMIA	122-0002 SANDSTONE	122-0009 TAUPE	122-4012 SHIITAKE	122-1010 BEIGE
 BI	 CS	 BI	 CS	 NEW		
122-2105 CAMEL	122-2003 COBRE	122-0013 ORANGE	122-6061 MANDARIN	122-9243 BRICK	122-1014 UMBER	122-0073 LUGGAGE
 BI		 BI	 CS	 BI	 CS	
122-2098 ROSÉ	122-2099 LOTUS	122-2097 ORCHID	122-7001 AUBERGINE	122-2016 RASPBERRY	122-6004 RUBIN	122-2064 WINE

CS

 Also available in BS 5852 Part 2 CRIB 5 quality

BI


 Also available in DIN 4102 BI & NF P 92-503 M1 quality

(article code 239-XXXX)
(article code SBI-XXXX)

Colour Palette

66 inspiring colours


PERMABLOK³
ADVANCED PROTECTION



122-2012
SUNKIST




122-7251
GOJI



122-2011
RED




122-2095
GRENADINE




122-2096
TOMATO



122-2093
SQUASH



122-6065
SAFRAN




122-6062
MELON




122-2092
AVOCADO



122-5008
PISTACHO




122-5019
CELERY



122-5020
BASIL




122-5010
BOTTLE



122-5063
FOREST




122-2100
TEAL



122-3001
TURQUOISE



122-3352
DEESEA




122-3375
WHALE



122-3068
JET




122-3007
SAPPHIRE



122-3067
DELFT



122-3066
BALTIC



122-2103
SKYLIGHT




122-2102
CORAL




122-2318
WINDY




122-5039
SMOG




122-2101
ALUMINIUM




122-4001
PLATA




122-2094
PETROL




122-4002
STORM




122-4010
TITANIUM




122-4011
STERLING



122-4003
GRAPHITE



122-9002
CARBON



122-9001
BLACK



122-0005
MOCCA



122-4024
METEOR

CS Also available in BS 5852 Part 2 CRIB 5 quality
BI Also available in DIN 4102 BI & NF P 92-503 M1 quality

(article code 239-XXXX)
(article code SBI-XXXX)

Technical data sheet

Composition:	Topcoat: Vinyl
Backing:	Backing 100% Polyester Hi-Loft ² ™
Weight:	683 gr/m²
Width:	min. 137cm
Roll size:	+/- 30m*
Abrasion:	> 300.000 cycles (MARTINDALE)
Cold Crack:	-29° C
UV-Resistance:	ISO 105 B02: ≥7/8 (Blue Wool Scale) ISO 105 B04: ≥4/5 (Grey Scale)

* Typical roll length. Length may vary depending on the availability of standard roll size

Flame Retardancy**:	EU EN 1021 Part I & 2	FR NF P 92-503 / M2
	EU ECE R 118.02 Anx. 6, 7 & 8	AT ÖNORM B 3825, Gruppe I
	EU IMO 2010FTP Part 8	AT ÖNORM A 3800 Teil I
	EU EN 71-2:2006+Al:2007 Safety of Toys - part2.	US FMVSS302
	DE DIN 4102 B2	US CAL TB 117-2013, Sec. E
	IT UNI 9175 Classe I.IM	US FAR 25/853

Other characteristics	EU (MED) Marine Equipment Directive
	UK UKCA

** This term and any corresponding data refer to the typical performance in the specific tests indicated and should not be construed to imply the behaviour of this or any other material under actual conditions.

FINISHES AND TREATMENTS

PERMABLOK³
ADVANCED PROTECTION

Virucidal Activity:	ISO 18184:2019 ISO 21702:2019
Bacteriostatic Properties:	ISO 22196:2011. Value of antibacterial*** activity R>2.

*** Testing was conducted with material exposed to Staphylococcus aureus, Staohylococcus aureus (MRSA), Escherichia coli and Klebsiella pneumoniae.

WARRANTY

5 Years. Terms and Conditions apply.

PERMABLOK³® and SPRADLING®, are registered trademarks of Spradling Holdings, Inc®.



ABRASION
RESISTANT



IMPERMEABLE



UV RESISTANT



LOW
TEMPERATURE
RESISTANT



EASY TO CLEAN



MILDEW
RESISTANT



FLAME
RETARDANT



CHEMICAL
RESISTANT

SUSTAINABLE PRODUCT PROFILE

Heavy Metals Free

Cd*
Hg*
Pb*
Cr VI*

AZO*
CFC*
HCFC*

PCP*
PCB*
PCT*

BPA
PBTs

CH2O*
Formaldehyde


*In accordance with REACH, RoHs and ECHA regulations

- AZO = Azo dyes
- CFC = Chlorofluorocarbons
- HCFC = Hydrochlorofluorocarbons
- BPA = Bisphenol A
- PBTs = Persistent Bio accumulative and Toxic Chemicals
- PCP = Pentachlorinated Biphenyl
- PCB = Pentachlorinated Biphenyl
- PCT = Polychlorinated Terphenyls

Certifications







Sustainable manufacturing certifications









Compliances





SPRADLING[®]
For the long run

WWW.SPRADLING.EU